



## Declaration of Performance

**1. Unique identification code of the product-type:**

Novia 1000 Gauge Virgin Grade Vapour Control Layer

**2. Product style:**

4m x 25m, presented M-folded

**3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification as foreseen by the manufacturer:**

Flexible sheets for waterproofing – Plastic and rubber vapour control layers – Definitions and characteristics (BS EN 13984)

**4. Name and contact address of the manufacturer:**

Novia Ltd  
Unit 3 Trilogy  
Eurolink V Industrial Park  
Sittingbourne  
Kent  
ME10 3NH

**5. System of assessment and verification of constancy of performance of the construction product:**

System 3

**6. Approved body:**


British Board of Agreement (BBA) – AB 0836



**7. Declared Performance:**

Essential Characteristics	Technical Performance	Bottom Tolerance	Top Tolerance	Unit	Test Standard
Length	25	25	27.5	m	BS EN 1848-2
Width	4	3.9	4.1	m	BS EN 1848-2
Thickness	0.25	0.219	0.281	mm	BS EN 1849-2
Mass per unit area (weight)	240	210	270	g/m <sup>2</sup>	BS EN 1849-2
Tensile strength MD:CD	>122 :>104	-	-	N/50mm	BS EN 12311-2
Nail tear resistance MD:CD	>102 : > 102	-	-	N	BS EN 12310-1
Water vapour transmission properties	0.31	0.22	0.40	g/m <sup>2</sup> .day	BS EN 1931
Water tightness at 2kPa	PASS	-	-	-	BS EN 1928

The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. The product stated at point 1 conforms to declared performances at point 7.

  
.....  
Adrian Chisholm, Managing Director  
Novia Ltd, Sittingbourne, Kent, UK

.....01.12.2022.....  
Date