



Declaration of Performance
Number: 1200 Gauge Vapour Control Layer

1. Unique identification code of the product-type:

1200 Gauge Virgin Grade VCL

2. Product style:

4m x 25m, presented M-folded

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Flexible sheets for waterproofing – Plastic and rubber vapour control layers – Definitions and characteristics (EN 13984)

4. Name and contact address of the manufacturer:

Novia Ltd
Unit 12 Heronden Road
Park Wood Industrial Estate
Maidstone
Kent
ME15 9YR

5. Name of the authorized representative whose mandate covers the tasks specified in Article 12, Paragraph 2:

Adrian Chisholm

6. System of assessment and verification of constancy of performance of the construction product:

3

7. Notified body:

British Board of Agreement (BBA)
NB 0836

9. Declared Performance

Essential Characteristics	Technical Performance	Bottom tolerance	Top tolerance	Unit	Test standard
Length	25	25	27.5	m	EN 1848-2
Width	4	3.9	4.1	m	EN 1848-2
Thickness	0.3	0.263	0.338	mm	EN 1849-2
Mass per unit area (weight)	265	232	298	g/m ²	EN 1849-2
Tensile MD	>129	-	-	N/50mm-1	EN 12311-2
Tensile CD	>110	-	-	N/50mm-1	EN 12311-2
Resistance to tearing (nail shank)	>111	-	-	N	EN 12310-1
Water vapour transmission properties	0.27	0.19	0.35	g/m ² . day	EN 1931
Water tightness 2k Pa	Pass	-	-	-	EN 1928:2000

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DOP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by

.....
Adrian Chisholm, Sales and Marketing Manager
Novia Ltd, Maidstone, Kent, UK

.....17.02.15.....
Date